CONCUSSION

INFORMATION AND SIGNATURE FORM FOR STUDENT-ATHLETES & PARENTS/LEGAL GUARDIANS

(Adapted from CDC Heads Up Concussion in Youth Sports)

Read and keep this page. Sign and return the signature page.

A concussion is a type of traumatic brain injury that changes the way the brain normally works. A concussion is caused by a bump, blow, or jolt to the head or body that causes the head and brain to move rapidly back and forth. Even a "ding," "getting our bell rung," or what seems to be a mild bump or blow to the head can be serious.

Did You Know?

- Most concussions occur without loss of consciousness.
- Athletes who have, at any point in their lives, had a concussion have an increased risk for another concussion.
- Young children and teens are more likely to get a concussion and take longer to recover than adults.

WHAT ARE THE SIGNS AND SYMPTOMS OF CONCUSSION?

Signs and symptoms of concussion can show up right after the injury or may not appear or be noticed until days or weeks after the injury.

If an athlete reports **one or more** symptoms of concussion listed below after a bump, blow, or jolt to the head or body, s/he should be kept out of play the day of the injury and until a health care provider says s/he is symptom-free and it's OK to return to play.

| SIGNS OBSERVED BY COACHING STAFF | SYMPTOMS REPORTED BY ATHLETES | |
|---|--|--|
| Appears dazed or stunned | Headache or "pressure" in head | |
| Is confused about assignment or position | Nausea or vomiting | |
| Forgets an instruction | Balance problems or dizziness | |
| Is unsure of game, score, or opponent | Double or blurry vision | |
| Moves clumsily | Sensitivity to light | |
| Answers questions slowly | Sensitivity to noise | |
| Loses consciousness (even briefly) | Feeling sluggish, hazy, foggy, or groggy | |
| Shows mood, behavior, or personality changes | Concentration or memory problems | |
| Can't recall events <i>prior</i> to hit of fall | Confusion | |
| Can't recall events after hit of fall | Just not "feeling right" or "feeling down" | |

*Health care provider means a Tennessee licensed medical doctor, osteopathic physician or a clinical neuropsychologist with concussion training

CONCUSSION DANGER SIGNS

In rare cases, a dangerous blood clot may form on the brain in a person with a concussion and crowd the brain against the skull. An athlete should receive immediate medical attention if after a bump, blow, or jolt to the head or body if s/he exhibits any of the following danger signs:

- One pupil larger than the other
- Is drowsy or cannot be awakened
- A headache that not only does not diminish, but gets worse
- Weakness, numbness, or decreased coordination
- Repeated vomiting or nausea
- Slurred speech
- Convulsions or seizures
- Cannot recognize people or places
- Becomes increasingly confused, restless, or agitated
- Has unusual behavior
- Loses consciousness (even a brief loss of consciousness should be taken seriously)

WHY SHOULD AN ATHLETE REPORT THEIR SYMPTOMS?

If an athlete has a concussion, his/her brain needs time to heal. While an athlete's brain is still healing, s/he is much more likely to have another concussion. Repeat concussions can increase the time it takes to recover. In rare cases, repeat concussions in young athletes can result in brain swelling or permanent damage to their brain. They can even be fatal.

Remember:

Concussions affect people differently. While most athletes with a concussion recover quickly and fully, some will have symptoms that last for days, or even weeks. A more serious concussion can last for months or longer.

WHAT SHOULD YOU DO IF YOU THINK YOUR ATHLETE HAS A CONCUSSION?

If you suspect that an athlete has a concussion, remove the athlete from play and seek medical attention. Do not try to judge the severity of the injury yourself. Keep the athlete out of play the day of the injury and until a health care provider says s/he is symptom-free and it's OK to return to play.

Rest is key to helping an athlete recover from a concussion. Exercising or activities that involve a lot of concentration, such as studying, working on the computer, or playing video games, may cause concussion symptoms to reappear or get worse. After a concussion, returning to sports and school is a gradual process that should be carefully managed and monitored by a health care professional.

* Health care provider means a Tennessee licensed medical doctor, osteopathic physician or a clinical neuropsychologist with concussion training

Student-athlete & Parent/Legal Guardian Concussion Statement

| | igned and returned to school or community youth athlet on in practice or play. | ic activity | prior to |
|------------------|--|-----------------|----------------------|
| Student-At | hlete Name: | | |
| Parent/Leg | gal Guardian Name(s): | | |
| Δ | After reading the information sheet, I am aware of the following | information | on: |
| Student- | ater reading the information energy rain aware or the following | - III OII II GU | Parent/Legal |
| Athlete initials | | | Guardian initials |
| | A concussion is a brain injury, which should be reported to m | | |
| | parents, my coach(es), or a medical professional if one is available. | allable. | |
| | A concussion cannot be "seen." Some symptoms might be pright away. Other symptoms can show up hours or days after injury. | | |
| | I will tell my parents, my coach, and/or a medical professional my injuries and illnesses. | al about | N/A |
| | I will not return to play in a game or practice if a hit to my heal body causes any concussion-related symptoms. | ad or | N/A |
| | I will/my child will need written permission from a health care provider* to return to play or practice after a concussion. | | |
| | Most concussions take days or weeks to get better. A more sconcussion can last for months or longer. | | |
| | After a bump, blow, or jolt to the head or body, an athlete she receive immediate medical attention if there are any dangers such as loss of consciousness, repeated vomiting, or a head that gets worse. | signs | |
| | After a concussion, the brain needs time to heal. I understand that I am/my child is much more likely to have another concussion or more serious brain injury if return to play or practice occurs before the concussion symptoms go away. | | |
| | Sometimes repeat concussion can cause serious and long-la problems, and even death. | asting | |
| | I have read the concussion symptoms on the Concussion Information Sheet. | | |
| | re provider means a Tennessee licensed medical doctor, osteopathic ologist with concussion training | physician | or a clinical |
| Signature of | f Student-Athlete Date | | |
| Signature of | f Parent/Legal guardian Date | | |